INDEX

THE SOVIET JOURNAL OF NONDESTRUCTIVE TESTING

Numbers 1-6, 1969

Digitized by the Internet Archive
in 2024

https://archive.org/details/russian-journal-of-nondestructive-testing_1969_indexcontents

THE SOVIET JOURNAL OF NONDESTRUCTIVE TESTING

Numbers 1-6, 1969

(A translation of Defektoskopiya)

Number 1 January-February, 1969

		Engl./Russ.
ELECTROMAGNETIC METHODS		
Method of Selectively Measuring the Parameters of Cylindrical Ferromagnetic Objects Remagnetized by a Nonuniform Alternating Magnetic Field — N. N. Zatsepin	1	1
Method of Checking the Quality of Heat Treatment of Parts by Eddy-Current Instruments — E. A. Kokh, B. P. Gusynin, and N. T. Pushin	10	11
Toward a Theory of the Eddy-Current Method for Inspecting Planar Manufactured Articles — Yu. K. Fedosenko	12	14
Impedance Characteristics of Laid-on Eddy-Current Pickups — I. I. Marashov	17	19
Thickness Measurements of Nonmetal Products by Natural Decay of Electromagnetic Field — A. N. Ermakov and V. G. Brandorf	21	24
Mathetic Testing of the Depth and Hardness of the Case-Hardened Layer on (Drilling) Bit Parts — V. M. Morozova, M. N. Mikheev, G. V. Surin, and L. V. Pomortseva	26	29
Calculation of a Graph for Monitoring Delayering in a Bimetal by Means of the Potential-Drop Method — É. I. Brainin and U. L. Gelibterman	29	33
Towards the Theory of Controlling Laminated Products Using Superposed Detectors — V. G. Gerasimov and I. I. Murashov	37	43
Using the Harmonics of a Transducer Signal in the Measurement of Mechanical Stresses in Steel by the Eddy-Current Method — D. I. Yakirevich and T. Ya. Gorazdovskii	42	48
All-Union Seminar on the Theory and Application of Higher Harmonics of the Secondary emf of Pickups — R. E. Ershov and M. M. Shel'	45	51
ULTRASONIC METHODS		
Possible Ways of Improving the Sensitivity of Ultrasonic Inspection of Parts with a Large-Grain Structure — I. N. Ermolov and B. P. Pilin	46	53
Reflection of Plane Ultrasonic Waves from a Two-Layer System — V. A. Kalinin and A. A. Pranitskii	50	58
Effect of Electric Loading on the Q Factor of Piezoelectric Transducers — B. G. Golodaev	56	64
Design of an Acoustic System for the Defectoscopy of Tubes by Circular Normal Waves — L. V. Verevkina	61	70
RADIATION METHODS		
Indistinctness and Frequency-Contrast Characteristics of Gamma-Optical Converters — A. M. Yakobson	66	77
Defect Detection in Gamma-Scintillation Nondestructive Testing — A. M. Kol'chuzhkin and V. V. Uchaikin	74	86
Quality Control by Visualization of Temperature Fields — N. A. Bekeshko and P. K. Oshchepkov	81	94
LUMINESCENT METHODS		
Sensitivity of Leak Detection at Low Pressures and Concentrations of Probe Gases — V. F. Sokolov, P. S. Khan'zhin, V. I. Zaitsev, and M. K. Fedorova	87	103

BRIEF COMMUNICATIONS
Automatic Recording of the Configuration of a Transverse Fatigue Crack in the Head of a Rail – V. N. D'yakonov, S. A. Kolotushkin and Yu. V. Kamshitskii 93 112
Apparatus for the Automatic Defectoscopy of External Flaws on Tubular Billets – Yu. B. Feshchenko, A. K. Braichenko, and F. M. Shutylev 95 113
Luminescent Method of Inspecting the Airtightness of Scintillation Detector Packing – R. A. Nikulina, L. Ya. Malkes, Yu. A. Vlasov, and R. A. Govorova. 98 116
Electronic Semiconductor Unit for a Ferroprobe Flaw Detector – V. G. Khamadulin, M. K. Novikov, and I. A. Dvoeglazov 100 117
Detection of Corrosion-Fatigue Defects in the Base of Rails – T. G. Bul'ba 102 119
An Electron-Optical X-Ray Introscope – I. V. Volkov, V. B. Zhukov, N. A. Novitskaya, V. G. Pol'skii, E. B. Serebryanik, A. M. Yakobson, and B. M. Kanter. 103 120
Transmission and Reception of Ultrasound without Contacts – B. A. Budenkov, G. A. Budenkov, N. A. Glukhov, and A. M. Ben'ko 105 121
Inclined Output Beam Searchhead for Ultrasonic Monitoring of Welded Joints – A. I. Kalmykov and A. R. Shcherban' 107 124
Thermal Method of Nondestructive Testing of Thin-Walled Parts – N. A. Bekeshko, P. K. Oshchenkov, and A. B. Upadyshev 108 125
Hygienic Evaluation of Radiation Factors during Gamma Defectoscopy – L. L. Sokolina. 111 127

Number 2 March-April, 1969

ELECTROMAGNETIC METHODS
Effect of Magnetic Circuit Parameters on the Operation of a Ferroprobe Differential Magnetic Instrument – V. P. Tabachnik and L. A. Fridman 113 1
Investigation of the Magnetic Field of a Defect on the Inside Surface of a Ferromagnetic Tube. I. Basic Regularities and Mechanism of Formation of the Field of the Defect – N. N. Zatsepin, V. E. Shcherbinin, and A. I. Pashagin. 120 8
Magnetic Field of a Defect on the Inner Surface of a Ferromagnetic Tube. II. Comparison of Field Topography of Internal and External Defects – N. N. Zatsepin, V. E. Shcherbinin and A. I. Pashagin 126 16
Calculation of the Magnetic Field of a Tube/Stator System and Its Use in Defectoscopy – P. K. Oshchepkov, L. A. Khvatov, and É. P. Frumkin. 130 20
Special Features in the Operation of a Superposed Detector for Nondestructive Testing by the Eddy-Current Method – V. S. Sobolev 138 29
Effect of a Spherical Conducting Body on the Parameters of Eddy-Current Probes – A. I. Nikitin. . . 144 37
Field of a Coil in a Semi-infinite Cylinder – V. P. Deniskin and L. I. Trakhtenberg. 152 47
Monitoring the Heat Treatment of Ferromagnetic Articles Using the Eddy-Current Method with Magnetization by a Nonsinusoidal Field – R. E. Ershov and V. L. Lifshits 157 53
Choice of the Optimal Parameters of a Screened Sensing Element for the Separate Control of the Thickness and Electrical Conductivity of Nonmagnetic Sheets – A. L. Dorofeev and A. L. Rubin 162 60
The Physical Feasibility of Securing a Specified Form of Ferroprobe Conversion Characteristic for Making Measurements in a Nonuniform Magnetic Field – M. P. Afanasenko and R. Ya. Berkman. 165 63
Analysis of the Information from an EMF Pickup in Stress Measurements by the Magnetoelastic Method – M. M. Shel' 172 71
Continuous Magnetic Testing of the Microstructure and Hardness of Large Steel Objects – G. S. Tomilov 177 76
ULTRASONIC METHODS
Ultrasonic Transducers for Testing Pipes – E. M. Lovyakin, G. A. Nikitin, and Yu. M. Kostikov. . . 182 83
A Method of Calculating Probe Parameters in Controlling Angular Welded Connections – I. L. Grebennik, M. F. Krakovyak, V. V. Rakhmanov, I. A. Vyatskov, and I. N. Ermolov. . 184 86

Operation of a Piezovibrator with Two-Side Loading in the Pulse Mode – N. A. Evdokimov, B. A. Kasatkin, A. F. Mel'kanovich, and A. A. Pranitskii 188 90
Electrodynamic Method for Ultrasonic Defectoscopy Using the Shift in the Natural Frequency of the Vibrations of a Specimen – G. I. Gulevskaya, M. I. Kiselev, Yu. G. Kuksa, A. B. Tul'chinskii, and Z. D. Chernyi 196 99
Motion in Symmetric and Antisymmetric Oscillations of a Bar with Free Boundaries – S. V. Veremeenko, G. G. Agas'ev and E. M. Lysko 200 103
Calculation of the Effective Dynamic Parameters of Elastic Media with Filler for the Propagation of a Plane Longitudinal wave – E. D. Pigulevskii and E. V. Nesmashnyi 205 109
Measurement of the Damping of Ultrasonic Vibrations in Thick-Walled Parts – V. A Tokarev and M. B. Gitis 211 116
RADIATION TECHNIQUES
The Schwarzschild Effect in Neutron Radiography – V. A. Bukarev, A. S. Shtan', and V. S. Yaskevich 215 121
Checking Weld Quality by Xeroradiography – V. I. Gorbachev 218 124
BRIEF COMMUNICATIONS
Ultrasonic Detection of Surface Defects – V. L. Aleksandrov 221 128
A Programing Device for the X-Ray Testing of Welded Seams and Parts – N. D. Kremnev 222 129
Coercimeters with Attached Electromagnets – M. N. Mikheev, B. M. Neizvestnov, V. M. Morozova, and G. V. Surin 224 131
Method of Ultrasonic Inspection of Welds of Bulb Angles – N. V. Ryl'skaya 227 134
Use of Electrical Induction Instruments of the IÉ-1 Types for Sorting of Aluminum Alloys by Grades – I. I. Mel'tser 229 135
Effectiveness of Using Betatrons for Radiography of Thick Metals – V. A. Berdanosov, V. A. Vorob'ev, V. I. Gorbunov, A. V. Pokrovskii, and G. V. Titov 232 137
Inspection of Steel Cables Enclosed in Sheathes – G. N. Kuvaev, V. P. Lyashchenko and D. N. Yaremenko 235 139
Effect of a Conducting Sphere on a Current-Carrying Coil – A. I. Nikitin and V. S. Sobolev 237 141
INFORMATION
Conference of Flaw-Detector Operators in Bulgaria 240 144
NEW BOOKS
Investigations in Metal Physics and Nondestructive Testing 241 144

Number 3 May-June, 1969

ULTRASONIC METHODS
Phase Version of the Acoustic-Impedance Method of Nondestructive Testing – Yu. V. Lange 243 1
Investigation of Reliability of Detection of Defects in Speed Control by Normal Waves – D. F. Kravchenko and D. A. Tursunov 249 9
Increasing the Application Effectiveness of Normal and Transverse Ultrasonic Waves in the Inspection of Tube Joints – B. V. Kostyukov 253 14
Ultrasonic Inspection of Thin Welded Joints – A. Z. Raikhman, B. S. Svyatskii, S. N. Chistyakov, and G. D. Belov 259 21
Structural Analysis of Thin-Walled Cylinders Using Normal Waves – N. A. Kesler, N. V. Khimchenko, and Yu. S. Manucharov 263 26
ELECTROMAGNETIC METHODS
Analysis of a Differential Wiring Diagram of Eddy Current Detectors – V. N. Burnashov and V. S. Sobolev 268 33
Calculation of Transient EMF in a Contact Pickup Coil – Yu. N. Russkevich 275 42
Measurement of the Layer Thickness of Laminated Metal by Means of Striding Detector – N. L. Bondarenko, Yu. Ya. Ostanin, and I. V. Svistunov 283 53

Problems of the Theory of Eddy Current Flaw Detection with the Use of the Modulation Method. I. — N. M. Rodigin and V. A. Sandovskii 288 60
Inspection of Tubes in a Uniform Transverse Electromagnetic Field — A. T. Nikolaenko 294 67
Quality Control of Nonmagnetic Alloy Products by the Magnetic Shield Method: Some Theoretical Points — A. L. Rubin and A. L. Dorofeev 300 74
Sensitivity of Ring Flaw Detectors in Controlling the Parameters of Multi-Layer Cylindrical Objects — V. G. Gerasimov 306 82
Harmonic Analysis of EMF in Eddy Current Detectors — M. M. Shel' 315 92
Electric Potential for Flow of a Direct Current around a Prismatic Defect — G. A. Byuler 320 98
Magnetic Field of Defects in a Direct or Alternating Current. 1. Fields of Transverse Surface Defects in Conducting Ferromagnetic and Nonmagnetic Samples — N. N. Zatsepin and N. P. Benklevskaya 325 103
RADIATION METHODS
Nondestructive Testing of Microleads Based on their Thermal Radiation — N. A. Bekeshko. 332 113
Some Characteristics of Luminescent-Screen Multipliers — M. A. Strzhemechnyi and Yu. A. Tsirlin 335 117
BRIEF COMMUNICATIONS AND LETTERS TO THE EDITOR
Directionality of Slanted Locators with Annular Piezoelectric Transducers — G. A. Krug and M. Sh. Desyatnik. 339 121
Induction Method for Measuring Resistivity — A. A. Fomin 341 122
MN-7 Apparatus for Multiparameter Electromagnetic Control — V. V. Chernyak and S. L. Naumov. 343 124
Refraction of a Convergent Ultrasonic Front Incident at a Plane Boundary between Two Acoustically Different Media — G. L. Zhidenko 346 127
Automatic Measurement of the Coercive Force in Whole Sheets of Electrotechnical Steel — V. M. Frantsevich 348 129
Recommendations for the Eddy-Current Testing of the Decarburized State of Ball-Bearing Steel Bars — S. Kh. Passi and A. V. Zusman. 351 131
Ultrasonic Device for Testing Thin Welded Joints — M. V. Korolev, V. T. Pronyakin, and G. V. Dubinin. 354 133
ÉDA-6539 Apparatus for Controlling the Quality of Inner Tube Surfaces — G. A. Belousov, É. S. Veretennikov, V. F. Volchkov, and E. A. Lyubynskii. 357 135
Characteristics of Reverse-Scattered Betatron Radiation as a Function of Scatterer Material and Thickness — E. G. Golikov, P. P. Zol'nikov, B. L. Dvinyaninov, and K. A. Sukhanova. 359 137
Electronic Instrument with Eddy Current Apparatus for Automatic Quality Control of Components — G. A. Belousov, É. S. Veretennikov, V. F. Volchkov, and E. A. Lyubynskii. 361 140
Calculation of the Acoustic Tract of an Ultrasonic Defectoscope Operating in the Pulse Mode — A. A. Pranitskii and A. F. Mel'kanovich. 368 142

Number 4 July-August, 1969

RADIATION METHODS
Performance in Recording of X- and Gamma-Rays by Combined Detectors — V. N. Podgornyi and Yu. B. Mandel'tsvaig 367 1
Use of Radioactive ^{54}Mn in Short-Distance Gamma Radiography — Yu. P. Averin, L. S. Vasil'ev, L. D. Danilin, S. I. Lobov, A. I. Pavlova-Verevkina, V. N. Funin, and V. A. Tsukerman 371 8
A Method of Computing the Number of Photographs in X-Raying and Gamma-Raying the Circular Welded Seams of Pipelines — Yu. I. Udralov 373 10
Detection of Defects in Butt Welds with Beta Rays — O. P. Blinova, I. I. Kreindlin, V. A. Mashinin, and R. V. Terskii. 378 15
ULTRASONIC METHODS
Diffraction of Lamb Waves in a Slab on a Semiinfinite Section — L. G. Merkulov and S. I. Rokhlin . 383 24

Equivalent Circuit of an Acoustically-Loaded Lossy Piezoelectric Plate Vibrating in a Thickness Mode Near Resonance – G. S. L'vov. 393 37
Antinoise Quality of an Automatic Shadow-Mode Ultrasonic Flaw Detector – Yu. M. Rapoport 397 41
Ultrasonic Surface-Mode Testing Machines for the Automatic Inspection of Panels (UZKP Series) – A. G. Bakunova, S. E. Baryshev, G. V. Varukha, N. N. Dubrovin, V. A. Kirpichnikov, A. V. Malyi, and Z. N. Shan'kova 403 49
Selection of the Optimal Working Frequency for Ultrasonic Testing of Cylindrical Components with a Roughly-Machined Surface – S. K. Pavros 407 53

ELECTROMAGNETIC METHODS

Calculation of the Transient Electromagnetic Field in a Layered Cylinder – A. P. Stipura 412 59
Analysis of the Reaction of a Conducting Ferromagnetic Polarizing Sphere Placed in the Field of an Insertion-Type Induction Transducer–G. A. Barill and V. S. Sobolev 417 65
Determining the Output Signal of a Pulse-Induction Instrument when Monitoring a Sheet by Means of an Applied Transducer–A. T. Nikolaenko 423 71
Theory of the Superposed Converter. II–N. M. Rodigin and V. A. Sandovskii 432 80
Problems in the Theory of the Modulation Method for Eddy Current Monitoring. II–N. M. Rodigin and V. A. Sandovskii 437 86
Using the Compensation Method with the Differential Magnetometer–L. A. Fridman and V. P. Tabachnik 442 91
On the Use of Artificial Standards for a Differential Magnetic Device–L. A. Fridman and V. P. Tabachnik 449 98
Study of the Magnetic Field of Eddy Currents over Surface Defects in Conducting Objects –N. N. Zatsepin 453 103
Use of Semiconductor Hall Transducers for Detecting Surface Cracks in Ferromagnetic Components in an Applied Static Magnetic Field–V. I. Volkov and Yu. F. Pon'kin . . . 461 113
Instrument IPN-3 for Quality Control of Tubes–P. K. Oshchepkov, V. V. Klyuev, A. P. Degterev, O. K. Sofranovich, and E. A. Lyubynskii 464 116
Magnetic Heat Treatment Quality Testing of Rolls for Cold Rolling Mills –M. I. Mikheev, V. M. Morozova, V. S. Bochenkov, N. V. Remez, and G. V. Surin . . 471 123
Measuring Internal Stresses in Hot-Rolled Electric Sheet–G. S. Korzunin and M. P. Uvarova. 478 131
Testing the Quality of Pistons Made from an Aluminum Alloy with Eddy-Current Defectoscopes of the ÉMID Class–N. T. Pushin and E. A. Kokh 486 140
Industrial Monitoring of the Soldering Quality in the Connections of Compensating Windings in Large DC Electrical Machines–V. I. Akhtyrskii, T. A. Zadorozhnaya, Ya. I. Kagan, V. I. Movshovich, and É. L. Ostrovskaya 490 144

BRIEF COMMUNICATIONS

Ultrasonic Testing of Small-Sized Articles of Complex Form–A. A. Belash, G. I. Gulevskaya, A. B. Tul'chinskii, and Z. D. Chernyi 495 150
Modernization of the UDM-1M Defectoscope for Operation with Two Separate Searchers –G. A. Belousov, E. A. Lyubynskii, L. A. Veselovskii, and M. E. Shul'gin 498 152
Use of a Coordinate Ruler and a Shielded Depth-Meter Scale for the Monitoring of Welded Joints–K. T. Shvedova, V. G. Savoishchenko, and V. I. Ganzha 500 154
Unkt-1 Equipment for External Monitoring of Casing Tubing–V. A. Minchenko, A. M. Oznobkhin, and N. I. Glazunov 501 154
Film Ferroprobe Defectoscopic Transducer–V. E. Shcherbinin, N. N. Zatsepin, M. A. Vedenev, and V. I. Drozhzhina 503 156
Errors in Nondestructive Monitoring of Cementation Depth, Surface Hardening, and Hardness of Steel Articles–G. S. Tomilov 506 158

Number 5 September-October, 1969

ULTRASONIC METHODS

Investigation of Contactless Methods for Exciting and Recording Ultrasonic Vibrations —Yu. I. Sazonov and Yu. M. Shkarlet 509 1

Ultrasonic Defectoscope Having a Type "V" Indicator—V. M. Lantukh, N. P. Sipakov, and A. A. Kuz'min 518 13

Evaluating the Depth of Defects in Welded Joints—V. F. Dianov 522 17

Finding the Directionality of Focussing and "Separately-Combined" Ultrasonic Probes for Underwater Operation—T. V. Dimitrov, F. I. Isaenko, and V. V. Sazhin 525 20

Noise during the Use of an Ultrasonic Echo-Pulse Flaw Detector—V. A. Lonchak 529 24

Computation of the Acoustic Path in Ultrasonic Inspection of Articles Having Complex Configurations—B. A. Kruglov 535 31

Investigation of Pulsed Excitation of a Piezovibrator in Immersed Ultrasonic Inspection —N. A. Evdokimov, B. A. Kasatkin, and A. F. Mel'kanovich 539 36

Dispersion Distortion of Normal Wave Pulses—L. V. Verevkina and L. G. Merkulov 543 40

Calculating the Quality Characteristics of Piezoelectric Transducers—M. B. Gitis and V. V. Sashin 548 45

RADIATION METHODS

Single-Channel Neutron Flaw Detector—V. B. Elagin and G. Sh. Pekarskii 553 52

Evaluating the Efficiency of Radiographic Quality Control—V. S. Akopov 557 56

ELECTROMAGNETIC METHODS

Use of Dynamic Coercive Force for Quality Control of Ferromagnetic Articles —I. G. Leshchenko, V. P. Dolgopolov, A. M. Gruznov, and V. D. Sartakov 560 60

Automated Eddy-Current Modulation Defectoscope for Inspecting the Outer Surface of Tubes and Tube Blanks on Stream—Yu. Z. Bilik, I. A. Roitburd, A. A. Chernobel'skii, and V. E. Ivanov 565 66

Electrical Induction Flaw Detector for Determining the Size and Depth of Defects —A. Ya. Teterko, V. V. Panasyuk, and B. M. Zaidel' 569 71

Magnetic Methods of Flaw Detection—I. I. Kifer and N. N. Zatsepin 573 76

Use of an Electrical Induction Flaw Detector with a Striding Search System for Checking the Depth of Surface Decarburization of Bearing Steel Rods—M. K. Balabanova, V. V. Vlasov, A. F. Dubkov, and Yu. S. Subbottin 579 84

Electromagnetic Inspection of Mechanical Properties of Tubes Made from Carbon Steels —L. V. Kokhman and M. N. Mikheev 585 91

Use of an Alternating-Current Bridge for Quality Control of High-Temperature Tempering of Constructional Steels—I. A. Kuznetsov and E. I. Popov 590 97

Use of the Eddy-Current Method to Find the Stress in Surface Layers of Tracks of Inner Rings of Roller Bearings—B. M. Pavlov 598 106

Effect of the Physical Properties of Tube Material on Control of Wall Thickness by the Screen Method—R. E. Ershov 601 110

Computation of the Reflected Impedance of Multilayer Eddy-Current Transducers —V. K. Popov, A. A. Kabasheva, and V. I. Chernyshev 606 116

Use of Multielectrode Probes for Inspecting the Soldering of Electrical Contacts by Means of the Potential Drop Method—É. I. Brainin, A. I. Polyakova, and V. V. Solov'yanova 610 120

Harmonic Analysis of the Signal from a Through Pickup for Measuring the Parameters of a Ferromagnetic Plate—I. E. Korobeinikova, A. I. Kadochnikov, and Z. E. Dresvyannikova 617 128

Operation of a Ferroelement Having Longitudinal Excitation over a Wide Range of Measured Fields—D. A. Shturkin and É. É. Stoinskaya 623 135

Use of Magnetic Permeability for Nondestructive Electromagnetic Testing of Structural Changes in Steel – S. D. Anisimov and V. G. Shifrin 629 143

BRIEF COMMUNICATIONS AND LETTERS TO THE EDITOR

Inspection of Articles for Discontinuities in Accordance with the Tangential Component of a Defect Field Using a Ferroprobe Field Meter – N. N. Zatsepin, P. A. Khalileev, and V. E. Shcherbinin 636 153

Effect of the Magnetic Viscosity of 50RA Steel on the Detectability of Defects in Magnetic Inspection of Parts – N. T. Pushin and E. A. Kokh 638 155

Effectiveness of Some Gas Methods and the Luminescence Method for Leakage Tests – V. G. Bantsarevich, N. M. Belyaev, I. L. Lyapkalo, and I. V. Nerovnya 640 156

Results of Industrial Tests of a Magnetic Method of On-Line Monitoring of the Hardness and Strength Limit of Volume-Hardened Rails – G. S. Tomilov, D. M. Rabinovich, I. Ya. Vinokurov, G. M. Kompaniets, É. V. Aronsov, V. A. Pichkalev, and N. A. Slobtsova 642 158

Number 6 November-December, 1969

ULTRASONIC METHODS

Automatic Defect Signaling System for Automatic Testing of Cylindrical Components – N. V. Vinogradov, V. A. Chegorinskii, and T. V. Khasnash 645 1

Elastic Field of a Piston Transducer in the Immersion Inspection Method – B. A. Kruglov ... 649 5

Defect Size Determination in Pulse-Echo Flaw Detection – A. A. Pranitskii 657 15

Ultrasonic Thickness Gauge – M. V. Korolev 664 25

Pulsed Mode of a Piezovibrator – N. A. Evdokimov, B. A. Kasatkin, and A. F. Mel'kanovich . 669 31

Problems in the Development and Use of Ultrasonic Immersion-Resonance Thickness Gauges – V. A. Kalinin and A. A. Pranitskii 676 38

An Ultrasonic Method of Finding the Boundary of the Pure Part in Zone-Purified Aluminum – L. G. Merkulov, L. A. Yakovlev, E. K. Guseva, G. I. Lazarev, and S. E. Maraev 681 44

ELECTROMAGNETIC METHODS

Principles of Ferroprobe Inspection of Rod Steel for Surface Defects – N. N. Zatsepin, V. E. Shcherbinin, N. M. Ezhov, A. F. Dubkov, and M. K. Balabanova 683 49

Behavior of a Magnetic Tape under Conditions of Magnetographic Inspection – V. S. Kozlov and B. D. Shaporov 689 56

Magnetic Tape Recording of Flaw Fields – V. S. Kozlov and B. D. Shaporov 692 59

Investigation of Magnetostatic Fields of Certain Models of Surface Defects – M. E. Marinchuk and N. S. Savorovskii 695 63

Experimental and Theoretical Research on Feed-Through Transducers for Monitoring Moving Objects – V. V. Klyuev and G. G. Kapelin 701 69

Application of the Ferrosonde Method to Phase Analysis of Austenitic Steels – M. M. Belenkova, M. N. Mikheev, N. N. Zatsepin, R. N. Vitkalova, and P. A. Ustyugov 707 77

RADIATION METHODS

Radiography of Structural Elements with Anisotropic Structure – V. G. Firstov 712 83

Choice of Optimal Conditions in Isotope Radiography of Flat Extended Components and Hollow Bodies of Rotation – G. P. Elisyutin, A. N. Maiorov, and N. D. Tyufyakov . 715 86

Image Contrast in a "Reflection" Radio Flaw Detector – M. G. Aleksandrova and V. N. Rudakov 720 93

An Apparatus for Determining Temperature Distribution in Electronic Circuits —N. A. Bekeshko and I. A. Maisov 725 98

BRIEF COMMUNICATIONS

Use of Ultrasonic Testing at the Black Sea Shipbuilding Plant—S. S. Korobov, B. M. Petrov, and F. Ya. Zaslavskii 729 103

Use of Nondestructive Test Methods—N. T. Pushin and E. A. Kokh 731 104

Change of Amplitude of the Curve on the Screen of an Eddy Current Flaw Detector as a Function of Aging Time of Hardened Steel 30KhRA—E. A. Kokh and N. T. Pushin . 733 106

Increase of the Conversion Factor in the Electromagnetic Method of Excitation and Reception of Elastic Oscillations—B. A. Budenkov, G. A. Budenkov, P. F. Shapovalov, and L. A. Popova 735 110

Generator of Powerful Single Electrical Pulses—V. F. Dubin and V. G. Tsybinoga 738 111

Improved Automatic Defect Signaler—A. V. Malinka, B. V. Kostyukov, E. B. Viksman, and I. A. Drapkin 740 111

Chemical Method for Leakage Testing—V. G. Bantsarevich, N. M. Belyaev, L. V. Berdov, and G. I. Smetanin 742 114

Oscilloscope Indicator for Ultrasonic Flaw Detectors—M. V. Korolev 744 115

INDEX

Author Index, Numbers 1-6, 1969 749

Tables of Contents, Numbers 1-6, 1969 753